SDS No.pb-e2020 1/28 Page

This product (wrought copper and copper alloy) are solid metal products, and the obligation to submit MSDS documents according to the Japanese Pollutant Release and Transfer Register (PRTR) law and the Japanese Industrial Safety and Health Law (for chemical substances) does not apply.

#### 1. Chemical product and company identification

#### 1-1. Name of chemical substance (Product Name): See table below.

Alloy Group	Corresponding JIS No.	Alloy Name	Alloy No.	Shape	Substance Classification
Cu-Sn Group	H3270	Phosphor bronze	C5102,C5111 C5191,C5212	Bar Wire	Mixture (alloy)

#### 1-2. Company information

Company name: Fujii manufacturing Co.,Ltd.

Department: Technical development department

Supervisors: AKIO SHIMIZU (Position: department director)

Tel:047-491-0241 , Fax:047-491-0247

[Creation date: February 08, 2023]

#### 2. Hazards identification

This product (wrought copper and copper alloy) is a molded product, and so is outside the scope of GHS classification. Further, as there is no alloy information, GHS classification information in units of the configuration elements are referenced for the description.

#### 2-1. Copper: GHS Classification

Physical hazards:

Explosives: Outside scope of classification

Flammable gases: Outside scope of classification

Flammable aerosols: Outside scope of classification

Oxidizing gases: Outside scope of classification

Gases under pressure: Outside scope of classification

Flammable liquids: Outside scope of classification

SDS No.pb-e2020

2/28

Page

Flammable solids: Cannot classify

Self-reactive substances and mixtures: Outside scope of classification

Pyrophoric liquids: Outside scope of classification

Pyrophoric solids: Cannot classify

Self-heating substances and mixtures: Cannot classify

Substances and mixtures which, in contact with water, emit flammable gases:

Cannot classify

Oxidizing liquids: Outside scope of classification

Oxidizing solids: Outside scope of classification

Organic peroxides: Outside scope of classification

Corrosive to metals: Cannot classify

Health hazards:

Acute toxicity (oral): Cannot classify

Acute toxicity (dermal): Cannot classify

Acute toxicity (inhalation: gases):

Outside scope of classification

Acute toxicity (inhalation: vapors): Outside scope of classification

Acute toxicity (inhalation: dusts): Cannot classify

Acute toxicity (inhalation: mists): Cannot classify

Skin corrosion/irritation: Cannot classify

Serious eye damage/eye irritation: Cannot classify

Respiratory sensitization: Cannot classify

Germ cell mutagenicity: Cannot classify

Carcinogenicity: Outside classification

Reproductive toxicity: Cannot classify

Specific target organ toxicity - single exposure: Class 3 (airway irritant)

Specific target organ toxicity - repeated exposure: Class 1 (liver)

Aspiration hazard: Cannot classify

Environmental hazards: Acute aquatic toxicity: Cannot classify

Chronic aquatic toxicity: Class 4

Label elements

Pictgram

Signal word: Danger

Hazard statement: Risk of irritation to respiratory organs

Nerve damage due to long-term or repeated exposure

SDS No.pb-e2020 3/28

Page

Risk of harm due to long-term effects

Precautionary statement: [Prevention]

Do not inhale the dust.

Avoid discharging into the environment.

[Response]

If inhaled, move to a location with fresh air, and rest in a posture that facilitates

breathing.

If feeling unwell, consult a physician to receive diagnosis and treatment.

[Disposal]

Recycling is possible, so if recovering and discarding, entrust the work to a waste

disposal specialist who is licensed by the prefectural governor.

#### 2-2. Tin: GHS Classification

Physical hazards:

Explosives: Outside scope of classification

Flammable gases: Outside scope of classification

Flammable aerosols: Outside scope of classification

Oxidizing gases: Outside scope of classification

Gases under pressure: Outside scope of classification

Flammable liquids: Outside scope of classification

Flammable solids: Cannot classify

Self-reactive substances and mixtures: Outside scope of classification

Pyrophoric liquids: Outside scope of classification

Pyrophoric solids: Cannot classify

Self-heating substances and mixtures: Cannot classify

Substances and mixtures which, in contact with water, emit flammable gases:

Cannot classify

Oxidizing liquids: Outside scope of classification

Oxidizing solids: Outside scope of classification

Organic peroxides: Outside scope of classification

corrosive to metals: Cannot classify

Health hazards:

Acute toxicity (oral): Cannot classify

Acute toxicity (dermal): Cannot classify

SDS No.pb-e2020

4/28

Page

Acute toxicity (inhalation: gases): Outside scope of classification

Acute toxicity (inhalation: vapors): Cannot classify

Acute toxicity (inhalation: dusts): Cannot classify

Acute toxicity (inhalation: mists): Outside scope of classification

Skin corrosion/irritation: Cannot classify

Serious eye damage/eye irritation: Cannot classify

Respiratory sensitization: Cannot classify

Germ cell mutagenicity: Cannot classify

Carcinogenicity: Cannot classify

Reproductive toxicity: Cannot classify

Specific target organ toxicity - single exposure: Class 1 (respiratory organs)

Specific target organ toxicity - repeated exposure:

Class 1 (respiratory organs)

Aspiration hazard: Cannot classify

Environmental hazards: Acute aquatic toxicity: Cannot classify

Chronic aquatic toxicity: Cannot classify

Label element

Pictogram



Signal word: Danger

Hazard statement: Organ damage (lungs)

Precautionary statement: [Prevention]

When using the product, do not eat, drink, or smoke.

Use suitable protective equipment and ventilation equipment to avoid exposure.

Do not inhale the dust.

[Response]

If exposed or fear exposure, consult a physician and receive diagnosis treatment.

If feeling unwell, consult a physician and receive treatment.

[Storage]

Lock the storage location.

[Disposal]

Entrust disposal of containers and contents to a specialist disposal processor

who is licensed by the prefectural governor.

SDS No.pb-e2020

5/28

Page

#### 2-3. Lead: GHS Classification

Physical hazards:

Explosives: Outside scope of classification

Flammable gases: Outside scope of classification

Flammable aerosols: Outside scope of classification

Oxidizing gases: Outside scope of classification

Gases under pressure: Outside scope of classification

Flammable liquids: Outside scope of classification

Flammable solids: Outside classification

Self-reactive substances and mixtures: Outside scope of classification

Pyrophoric liquids: Outside scope of classification

Pyrophoric solids: Outside classification

Self-heating substances and mixtures: Outside classification

Substances and mixtures which, in contact with water, emit flammable gases:

Outside classification

Oxidizing liquids: Outside scope of classification

Oxidizing solids: Outside scope of classification

Organic peroxides: Outside scope of classification

Corrosive to metals: Cannot classify

Health hazards: Acute toxicity (oral): Cannot classify

Acute toxicity (dermal): Cannot classify

Acute toxicity (inhalation: gases):

Outside scope of classification

Acute toxicity (inhalation: vapors):

Outside scope of classification

Acute toxicity (inhalation: dusts): Cannot classify

Acute toxicity (inhalation: mists): Cannot classify

Skin corrosion/irritation: Cannot classify

Serious eye damage/eye irritation: Cannot classify

Respiratory sensitization: Cannot classify

Germ cell mutagenicity: Class 2

Carcinogenicity: Class 2

Reproductive toxicity: Class 1A

Specific target organ toxicity - single exposure: Cannot classify

Specific target organ toxicity - repeated exposure:

Class 1 (Hematopoietic system, central

SDS No.pb-e2020

6/28

Page

nervous system, peripheral nervous

system, cardiovascular system,

immune system)

Aspiration hazard: Cannot classify

Environmental hazards: Acute aquatic toxicity: Cannot classify

Chronic aquatic toxicity: Cannot classify

Label element

Pictogram



Signal word: Danger

Hazard statement: Suspected risk of genetic disease

Suspected risk of cancer

Risk of malign influence on reproductive functions or fetus

Damage to the hematopoietic system, kidneys, central nervous system, peripheral

nervous system, cardiovascular system, and immune system due to long-term or

repeated exposure

Precautionary statement: [Prevention]

When using the product, do not eat, drink, or smoke.

Use suitable protective equipment and ventilation equipment to avoid exposure.

Do not inhale the dust.

Wash hands thoroughly after handling.

Avoid discharging into the environment.

[Response]

If exposed or fear exposure, consult a physician and receive diagnosis treatment.

If feeling unwell, consult a physician and receive treatment.

[Storage]

Lock the storage location.

[Disposal]

Entrust disposal of containers and contents to a specialist disposal processor who is

licensed by the prefectural governor.

#### 3. Composition/information on ingredients

3-1. Substance or mixtures:

Mixture (alloy)

3-2. Chemical name: See "1-1 Name of chemical substance"

SDS No.pb-e2020

7/28

Page

Chemical composition:

See "Chemical composition table"

of Annex

3-3. Chemical formula or structural formula:

None

3-4. Ordinance No. (PRTR Law and Industrial Safety and Health Law):

See the table below

3-5. CAS No.:

See the table below

3-6. Official publication reference No.:

N/A

			Ordinance No.( ma ostances Subject t						
3.2. Elements	3.2 Composition (mass%)	PRTR Law Industrial Safety and Health Law		I PRIRIAW I		•	3.5. CAS No.		
		0.1%	1%	0.1%	1%				
		max	max	max	max				
Copper (Cu)				379		7440-50-8			
Zinc (Zn)	See "Chemical composition table" of Annex					7440-66-6			
Tin(Sn)				322		7440-31-5			
Phosphorus(P)						7723-14-0			
Lead (Pb)				411		7439-92-1			
Iron (Fe)	0.1 max					7439-89-6			
Arsenic (As)	0.1 max	332		458		7440-38-2			

#### 4. First-aid measures

There is no information for mixtures (alloys), so information in units of the configuration elements are referenced for the description.

4-1.Copper

If inhaled: Move the victim to a location with fresh air, and make sure they rest in a pose that

facilitates respiration.

If feeling unwell, consult a physician and receive treatment.

If on skin: Remove contaminated clothing.

Wash skin promptly.

If feeling unwell, consult a physician and receive treatment.

Wash contaminated clothing before reuse.

If in eyes: Irrigate carefully for several minutes with water. Next, if wearing contact lenses that

can be removed easily, remove the contact lenses. Thereafter, continue to wash.

Consult a physician and receive treatment.

SDS No.pb-e2020

8/28

Page

If swallowed: Rise out the mouth promptly, and immediately consult a physician for treatment.

Anticipated acute effects and anticipated delayed effects:

If inhaled: Eye and skin reddening, eye pain, cough, headache, shortness of breath, pharyngeal

pain, stomach pain, nausea, and vomiting. Delayed symptom: Metal fume fever.

Protection for first-aid providers:

First-aid providers must wear protective equipment appropriate for the circumstances.

Special notes to an attending physician:

Rest and medical observation over time are indispensable.

4-2. Tin

If inhaled: Move the victim to a location with fresh air, and make sure they rest in a pose that

facilitates respiration.

Seek medical advice.

If on skin: Wash skin promptly.

Seek medical advice.

Wash the contaminated clothes before reusing.

If in eyes: Wash the eyes carefully with water for a few minutes.

Seek medical advice.

Special measures (If emergency treatment is required, refer to the supplementary

first-aid instructions)

If swallowed: Rinse mouth with water.

Seek medical advice.

Special measures (If emergency treatment is required, refer to the supplementary

first-aid instructions)

Anticipated acute effects and anticipated delayed effects:

If inhaled: Vapor and mist irritate the lungs and upper trachea.

If on skin: Irritates the skin

If in eyes: Irritates the mucosa.

4-3. Lead

If inhaled: Move the victim to a location with fresh air, and make sure they rest in a pose that

facilitates respiration.

If feeling unwell, consult a physician and receive treatment.

If on skin: Remove contaminated clothing.

SDS No.pb-e2020

9/28

Page

Wash skin promptly.

If feeling unwell, consult a physician and receive treatment.

Wash contaminated clothing before reuse.

If in eyes: Irrigate carefully for several minutes with water. Next, if wearing contact lenses that

can be removed easily, remove the contact lenses. Thereafter, continue to wash.

Consult a physician and receive treatment.

If swallowed: Rise out the mouth promptly, and immediately consult a physician for treatment.

Anticipated acute effects and anticipated delayed effects:

Stomach cramps, drowsiness, headache, nausea, vomiting, fatigue, wheezing, pallor,

hemoglobinuria, and lethargy

Most important signs and symptoms: No description.

Protection for first-aid providers:

First-aid providers must wear protective equipment appropriate for the circumstances.

Special notes to an attending physician:

Rest and medical observation over time are indispensable.

#### 5. Fire-fighting measures

There is no information for mixtures (alloys), so information in units of the configuration elements are referenced for the description.

#### 5-1. Copper

Extinguishing media: Special powder retardants and dry sand.

Unsuitable extinguishing media:

Water jet, foam extinguisher, and CO<sub>2</sub>.

Specific hazards: There is a risk of irritant, poisonous, or corrosive gas or fumes being emitted by fire.

Using water on metal fires may emit hydrogen gas.

Specific extinguishing methods: Move the container from the region on fire if there is no danger.

Ideally, sealant methods and oxygen starvation methods should be used for metal

fires.

Protection of firefighters: When firefighting, wear suitable breathing equipment and (heat-resistant)

chemical protective clothing.

#### 5-2. Tin

Extinguishing media: Special powder retardants and dry sand.

SDS No.pb-e2020

10/28

Page

Unsuitable extinguishing media:

Use of other extinguishers is prohibited.

Specific hazards: The substance is flammable.

If the substance is in powder form, the dust may cause an explosion.

Reacts with strong oxidizers.

Specific extinguishing methods:

Fire should be extinguished from a distance and only close enough for effective

fire fighting.

Move the container from the region on fire if there is no danger.

If the containers are not movable, cool the container by pouring water on and around

the containers.

After the fire is extinguished, continue to pour a large amount of water to cool the

containers sufficiently.

Protection of firefighters: When firefighting, wear suitable breathing equipment and (heat-resistant)

chemical protective clothing.

5-3. Lead

Extinguishing media: The product itself is not flammable.

Unsuitable extinguishing media:

Rod infusers, foam extinguisher, and CO<sub>2</sub>.

Specific hazards: There is a risk of irritant or poisonous gas being emitted due to fire.

Specific extinguishing methods:

Move the container from the region on fire if there is no danger.

Protection of firefighters: When firefighting, wear suitable breathing equipment and (heat-resistant)

chemical protective clothing.

#### 6. Accidental release measures

There is no information for mixtures (alloys), so information in units of the configuration elements are referenced for the description.

#### 6-1. Copper

Personnel precautions, protective equipment, and emergency procedures:

Prohibit admission to all non-essential personnel.

Do not touch or walk through any leaking material.

SDS No.pb-e2020

11/28

Page

Workers must wear protective equipment (See "8. Exposure Prevention and Protection Measures"), avoid gas and fume inhalation, and contact with the eyes and skin.

#### Environmental precautions:

Be careful not to discharge into rivers, or to affect the environment.

Recovery and neutralization:

Sweep together any spills and collect in a sealable container before discarding.

Methods and materials for containment and methods for cleaning up:

Stop the leak if there is no danger.

Secondary disaster prevention measures:

Promptly remove all ignition sources and flammable substances. (Smoking, fireworks, and naked flames in the vicinity are prohibited.) Prevent inflow to drainage ditches, sewers, basements, or sealed locations.

#### 6-2. Tin

Physical precautions protective equipment and emergency procedures:

Do not touch or walk through any leaking material.

Immediately move to a suitable distance in all directions as a leakage area.

Prohibit admission to all non-essential personnel.

Workers must wear protective equipment (See "8. Exposure Prevention and

Protection Measures"), avoid gas and fume inhalation, and contact with the eyes and

skin.

If fire is not occurring with the spillage, wear highly sealed and no-permeable

protective clothing.

Stay on the windward side.

Keep away from low grounds.

Broken containers or the spillage must not be touched without wearing appropriate protective clothing.

Environmental precautions:

Be careful not to discharge into rivers, or to affect the environment.

Recovery and neutralization:

If the amount of spillage is small, collect the spillage into a dry,

clean container using a clean antistatic equipment, cover the top loosely, and dispose

of it afterwards.

SDS No.pb-e2020

12/28

Page

If there is a large amount of spillage, wet with water and set up protective fences, then dispose of it afterwards.

Methods and materials for containment, cleaning up:

Stop the leak if there is no danger.

Secondary disaster prevention measures:

Promptly remove all ignition sources and flammable substances. (Smoking, fireworks, and naked flames in the vicinity are prohibited.)

Residue on the floor risks slipping, so process assiduously.

#### 6-3. Lead

Physical precautions protective equipment, and emergency procedures:

Prohibit admission to all non-essential personnel.

Do not touch or walk through any leaking material.

Workers must wear protective equipment (See "8. Exposure Prevention and

Protection Measures"), avoid gas and fume inhalation, and contact with the eyes and

#### Environmental precautions:

Be careful not to discharge into rivers, or to affect the environment.

Recovery and neutralization:

Wipe up any leaks and collect in a sealable empty container before implementing disposal processing.

Methods and materials for containment, cleaning up:

skin.

Stop the leak if there is no danger.

Secondary disaster prevention measures:

Residue on the floor risks slipping, so process assiduously.

#### 7. Handling and storage

There is no information for mixtures (alloys), so information in units of the configuration elements are referenced for the description.

#### 7-1. Copper

#### <Handling>

Technical measures: Install equipment measures as described in "8. Exposure controls and personal protection", and wear protective equipment.

SDS No.pb-e2020 13/28

Page

Local / total ventilation: Implement local ventilation and total ventilation as described in "8. Exposure controls

and personal protection ".

Precautions for safe handling:

Conforming to "2. Hazards identification".

Prevention of contact: Refer to "10. Stability and Reactivity".

<Storage>

Incompatible materials: Refer to "10. Stability and Reactivity".

Storage conditions: Avoid locations with sudden temperature changes and high humidity when storing.

7-2. Tin

<Handling>

Technical measures: Install equipment measures as described in "8. Exposure controls and personal

protection", and wear protective equipment.

Local / total ventilation: Implement local ventilation and total ventilation as described in "8. Exposure controls

and personal protection ".

Precautions for safe handling:

Conforming to "2. Hazards identification".

Prevention of contact: Refer to "10. Stability and Reactivity".

<Storage>

Technical measures: The walls pillars, and floors of the storage location must be fireproof, and beams are

to be made of noncombustible materials.

The roof of the storage location must be made noncombustible materials and

covered with light noncombustible materials, such as metal sheets.

The storage location must not have ceilings.

The floor of storage location must be built to avoid flowing in of water or permeation

of water.

Storage location must be equipped with lighting, illumination, and ventilation facility

necessary for the storage and handling of dangerous goods.

Incompatible materials: Refer to "10. Stability and Reactivity".

Safe storage conditions: Store away from oxidants.

Container and packing materials:

Although there are no packing or container regulations, place in a sealable,

undamaged container.

SDS No.pb-e2020

14/28

Page

#### 7-3. Lead

#### <Handling>

Technical measures: Install equipment measures as described in "8. Exposure controls and personal

protection", and wear protective equipment.

Local / total ventilation: Implement local ventilation and total ventilation as described in "8. Exposure controls

and personal protection ".

Precautions for safe handling:

Conforming to "2. Hazards identification".

Prevention of contact: Refer to "10. Stability and Reactivity".

<Storage>

Technical measures: Technical measures are not required.

Incompatible materials: Refer to "10. Stability and Reactivity".

Safe storage conditions: Store away from oxidants.

Lock the storage location.

Container and packing materials:

Although there are no packing or container regulations, place in a sealable,

undamaged container.

#### 8. Exposure controls and personal protection

There is no information for mixtures (alloys), so information in units of the configuration elements are referenced for the description.

#### 8-1. Copper

Administrative level: Not specified.

Permissible limit (Exposure limits, biological exposure indices)

· Japan Society for Occupational Health (2005 version): Not specified.

· ACGIH (2005 version): TLV-TWA 0.2 mg/m³ (as fumes)

TLV-TWA 1 mg/m<sup>3</sup> (as dust or mist)

Facility measures: To maintain the concentrations in air at or below the recommended tolerable

concentrations, seal all processes, and use local air filters and other equipment

countermeasures.

#### Protective Equipment

• Respiratory protection: Wear suitable respirator protective equipment.

Hand protection: Wear suitable protective gloves.

SDS No.pb-e2020 15/28 Page

• Eye protection: Protective goggles (regular glasses, regular glasses with lateral plates, or goggles)

· Skin and body protection: Wear protective equipment such as protective clothing and safety boots, etc.

8-2. Tin

Administrative level: Not specified.

Permissible limit (Exposure limits, biological exposure indices)

· Japan Society for Occupational Health (2005 version):

Not specified

· ACGIH (2005 version): TLV-TWA 2 mg/m³ (As Sn)

Facility measures: If dust or fumes are produced in high-temperature processes, ventilation devices

must be installed to keep the contamination substances in the air below the

administrative level.

Protective equipment

• Respiratory protection: Wear suitable respirator protective equipment.

Hand protection: Wear suitable protective gloves.

• Eye protection: Wear protective equipment for eyes and face. Wear safety glasses. If there is a risk

that the substance may come in contact with the eyes or face due to scattering or

spraying, general chemical splash goggles and face shields must be worn.

• Skin and body protection: Wear protective equipment such as protective clothing and safety boots, etc.

Hygiene measures: Wash hands thoroughly after handling.

8-3. Lead

Administrative level: 0.05 mg/m3 (lead and its compounds, as lead)

Permissible limit (Exposure limits, biological exposure indices)

· Japan Society for Occupational Health (2005 version):

0.1 mg/m3 lead and its compounds, excluding alkyl lead, as lead

· ACGIH (2005 version): TLV-TWA 0.05 mg/m3 (A3; BEI lead and its inorganic compounds, as lead)

Facility measures: Install eyewash containers and safety showers in worksites where the substance is

stored and handled.

Implement ventilation to make sure the airborne concentration remains below the

recommended tolerable concentration.

Protective equipment

· Respiratory protection: Wear suitable respirator protective equipment.

Hand protection: Wear suitable protective gloves.

SDS No.pb-e2020 16/28 Page

• Eye protection: Wear protective equipment for eyes and face.

· Skin and body protection: Wear protective equipment such as protective clothing and safety boots, etc.

Hygiene measures: Wash hands thoroughly after handling.

- 9. Physical and chemical properties: Fields marked with "---" in the table indicates no data.
- a) Properties according to product name

	Phosphor bronze
9-1.Appearance of a chemical product,	Lustrous Orange
physical state and color	solid
form	Depends on
	product form
odour	None
9-2. pH, with indication of the	
Concentration	_
9-4.Decomposition temperature	_
9-5. Flashpoint	
9-6.Upper/lower flammability	_
9-7. Explosive limits	_
9-11. Solubility(ies)	_
9-12. n-octanol /water partition	_
coefficient	
9-13. Other Data (Radioactivity,	
bulk Density, Etc.)	

	Phosphor bronze							
	C5191	C5212						
9-3. Melting point (°C)	1050	1060	1045	1020				
9-10.Relative density	8.86	8.86	8.83	8.80				

#### b) Properties according to constituent element

	Cu	Sn	Zn	Р	Pb	Fe	As
9-8. Vapor pressure (Pa)	_	_	_	_	_	_	_
9-9. Boiling point (°C)	2582	2625	907	280	1750	2860	614

#### 10. Stability and reactivity

There is no information for mixtures (alloys), so information in units of the configuration elements are referenced for the description.

10-1. Copper

Stability Turns green when exposed to damp air.

Compounds sensitive to shock are formed by acetylene

compounds, ethylene oxides, and azides.

Possibility of hazardous reactions: Reacts with oxides (chlorates, bromates, and iodates, etc.), so

there is a risk of explosion.

Conditions to avoid: Contact with humidity and hazardous mixtures.

SDS No.pb-e2020

17/28

azides,

Page

oxides

Incompatible materials:

Acetylene compounds, ethylene oxides,

(chlorates, bromates, and iodates, etc.)

Hazardous decomposition products:

CO, CO<sub>2</sub>, and copper fumes when burned.

10-2. Tin

Stability: Stable at room temperature and in air.

The affinity to oxygen is low, and the color of the substance

does not change in dry air at room temperature.

Not oxidized at or below 200°C. In higher temperature, SnO₂

membrane is formed on the surface.

Possibility of hazardous reactions: Reacts with strong oxidizers, acids, strong bases, halogens,

sulfur, etc.

Reacts quickly with halogen to produce tin halide.

Reacts slowly with alkali at low temperature, and rapidly at high

temperature.

Conditions to avoid: Scattering of dust.

Incompatible materials: Strong oxidizers, acids, strong bases, halogens, sulfur, etc.

Hazardous decomposition products: None applicable (elements).

10-3. Lead

Stability: Reacts with pure water and weak organic acids in the presence

Possibility of hazardous reactions: No dangerous or harmful reactions under normal conditions.

> Reacts with concentrated nitric acid at high temperatures, boiling concentrated chlorine, and concentrated sulfuric acid.

Reacts with fluorine and chlorine at room temperature. Conditions to avoided: Mixing powder or granules with air may cause dust explosions.

Incompatible materials: Oxidants.

Hazardous decomposition products: May emit poisonous fumes or gas when heated.

#### 11. Toxicological information

There is no information for mixtures (alloys), so information in units of the configuration elements are referenced for the description.

11-1. Copper

Oral: Rabbits LDL<sub>0</sub> 120 µg/kg<sup>3)</sup> Acute toxicity:

Skin irritation/corrosion:

Contact with skin causes reddening symptoms. 14)

Eye damage/irritation: Contact with eyes causes reddening. Causes painful symptoms. 14)

Acts as an irritant. 10)

Respiratory or skin sensitization:

Respiratory organ sensitization: no data.

Skin sensitization: The Japan Society for Occupational Health classified this as skin

sensitization group 2 (a substance thought probably to sensitize humans), but The

Japanese Society for Dermatoallergology and Contact Dermatitis has no

SDS No.pb-e2020

18/28

Page

classification.

Reproductive cell mutagenicity:

No data.

Carcinogenicity: EPA classifies this as group D (substance that cannot be classified as carcinogenic to

humans).

Reproductive toxicity: No data.

Specific target organ toxicity (single exposure):

Fumes irritate the upper airway.<sup>13)</sup>

Thought to be an airway irritant.

Risk of irritation to the respiratory organs (class 3)

Specific target organ toxicity (repeated exposure):

Hepatomegaly identified in workers exposed to high airborne concentrations

(estimated ingestion 200 mg/day).<sup>11)</sup>

Nerve damage due to long-term or repeated exposure (class 1)

Aspiration hazard: No data.

11-2.Tin

Acute toxicity: Oral: No information.

Dermal: No information.

Inhalation (gas): No information.

Inhalation (vapor): No information.

Inhalation (mist): No information.

Skin irritation/corrosion: No information.

Eye damage/irritation: No definite date available.

Respiratory or skin sensitization: No information.

Reproductive cell mutagenicity: No date available.

Carcinogenicity: No definite date available.

Reproductive toxicity: No information.

Specific target organ toxicity (single exposure):

No definite date available.

Specific target organ toxicity (repeated exposure):

Coniosis was observed in warkers handling metallic tin.

Long-term exposure to this substance may cause benign coniosis(stannosis).

Organ damage from long-term or repeated exposure (Class 1)(Lungs)

SDS No.pb-e2020

19/28

Page

Long-term or repeated exposure causes renal disorders.

Long-term or repeated exposure causes lung disorders.

Aspiration hazard: No data.

11-3. Lead

Acute toxicity: Oral: No information.

Dermal: No information.

Inhalation (dust): No information.

Skin irritation/corrosion: No information.

Eye damage/irritation: No information.

Respiratory or skin sensitization:

Respiratory organ sensitization: No information.

Reproductive cell mutagenicity:

Results have been obtained that contradict the chromosome abnormalities in the peripheral blood lymphocytes of people who work with lead, but as there are reports of chromosome abnormalities and micronucleus induction effects in lead itself<sup>23), 37), 20), 10), the substance was designated class 2.</sup>

Carcinogenicity: Classified as B<sup>23), 30)</sup> and A3<sup>10)</sup>, and as B2 by the EPA.

Suspected risk of carcinogenesis (class 2)

IARC group 2 (might be carcinogenic in humans)

Reproductive toxicity: Designated class 1A as there are reports of cases of human exposure affecting

spermatogenesis<sup>37), 20), 8), 23)</sup>, and reports that ovulation function failure has been

observed in cases of exposure among female EHC workers.

Although there are reports of connections to cognitive function development impairment in newborns<sup>10), 20), 8), 23)</sup>, and connections to increased spontaneous

abortions<sup>20), 8)</sup>, no clear conclusions have been obtained.

Risk of malign influence on reproductive functions or fetus (class 1A)

Specific target organ toxicity (single exposure):

Despite reports of cases in which renal function failure has been identified in humans with acute poisoning<sup>20)</sup>, the same source also reports that there was no renal failure

in subsequent epidemiological surveys.

Specific target organ toxicity (repeated exposure):

From reports that the marker organs are the hematopoietic system, nervous system, and the kidneys and the cardiovascular system<sup>20)</sup>, reports that heme synthesis

SDS No.pb-e2020

20/28

Page

impairment, nephropathy, and encephalopathy have been observed in cases of human exposure<sup>37), 10), 8), 23)</sup>, reports of the peripheral nerves and central nervous functions have been affected in cases of human exposure<sup>37), 10), 8)</sup>, reports of effects such as hypertension on the cardiovascular system in cases of human exposure<sup>37), 10)</sup>, and reports that immunosuppressive actions have been observed in cases of human exposure<sup>8)</sup>, the marker organs are thought to be the hematopoietic system, liver, CNS, peripheral nervous system, cardiovascular system, and immune system, all of which have been designated class 1.

Although there are descriptions of case reports of reduced thyroid gland and adrenal functions in EHC, both these case reports are from before 1970, and there have been no similar reports subsequently, and as DFGOT describes no effects on the thyroid gland<sup>20)</sup>, the thyroid and adrenal glands are not thought to be marker organs.

Impairment of the hematopoietic system, kidneys, CNS, peripheral nervous system, cardiovascular system, and immune system due to long-term or repeated exposure (class 1)

Aspiration hazard:

No data.

#### 12. Ecological information

There is no information for mixtures (alloys), so information in units of the configuration elements are referenced for the description.

#### 12-1. Copper

Acute aquatic environmental harm:

Cannot classify due to insufficient data.

Chronic aquatic environmental harm:

Despite the existence of L(E)C<sub>50</sub>≤100 mg/L data, as this is a metal and its actions in water are unknown, it was designated class 4.

#### 12-2. Tin

Acute aquatic environmental harm:

No information.

Chronic aquatic environmental harm:

No information.

SDS No.pb-e2020

21/28

Page

#### 12-3. Lead

Acute aquatic environmental harm:

No information.

Chronic aquatic environmental harm:

No information.

#### 13. Disposal considerations

There is no information for mixtures (alloys), so information in units of the configuration elements are referenced for the description.

#### 13-1. Copper

Waste from residues:

Follow the relevant laws and local disposal regulations. Entrust disposal to and industrial waste contractor or local public body that is authorized by the prefectural governor where available. If outsourcing waste disposal, thoroughly notify the contractors of the dangers and harmfulness before outsourcing.

Contaminated container and contaminated packaging:

Either clean and recycle the containers, or dispose of them suitably according to the relevant laws and regulations, and local government standards.

When disposing of empty containers, make sure to discard the contents completely.

#### 13-2. Tin

Waste from residues:

Follow the relevant laws and local disposal regulations. Entrust disposal to and industrial waste contractor or local public body that is authorized by the prefectural governor where available.

If outsourcing waste disposal, thoroughly notify the contractors of the dangers and harmfulness before outsourcing. Do not discharge the waste liquid containing this substance and waste liquid after washing diredtly into waterways or bury or dispose of the unprosessed products.

#### Contaminated container and contaminated packaging:

Either clean and recycle the containers, or dispose of them suitably according to the relevant laws and regulations, and local government standards.

When disposing of empty containers, make sure to discard the contents completely.

The method of disposing of spray cans differ for each local government. Disposal

SDS No.pb-e2020

22/28

Page

must be conducted according to the regulations of the relevant local government.

13-3. Lead

Waste from residues:

Follow the relevant laws and local disposal regulations. Entrust disposal to and

industrial

waste contractor or local public body that is authorized by the prefectural governor

where available. If outsourcing waste disposal, thoroughly notify the contractors of the

dangers and harmfulness before outsourcing. Substances in an elemental state can

be reused, so recover them.

Contaminated container and contaminated packaging:

Either clean and recycle the containers, or dispose of them suitably according to the

relevant laws and regulations, and local disposal regulations.

When disposing of empty containers, make sure to discard the contents completely.

14. Transport information

There is no information for mixtures (alloys), so information in units of the configuration elements are referenced

for the description.

14-1. Copper

<International regulations>

Information on marine transport regulation: Non-dangerous substance.

• UN number: Not applicable

Information on air transport regulation: Non-dangerous substance.

• UN number: Not applicable

<Japanese regulations>

Information on road transport regulation: No special regulations.

Information on marine transport regulation: Non-dangerous substance.

Information on air transport regulation: Non-dangerous substance.

14-2.Tin

<International regulations>

Information on marine transport regulation: Non-dangerous substance.

• UN number: Not applicable

SDS No.pb-e2020

23/28

Page

Information on air transport regulation: Non-dangerous substance.

• UN number: Not applicable

<Japanese regulations>

Information on road transport regulation: No regulations.

Information on marine transport regulation: Non-dangerous substance.

Information on air transport regulation: Non-dangerous substance.

14-3. Lead

<International regulations>

Information on marine transport regulation: Non-dangerous substance.

• UN number: Not applicable

Information on air transport regulation: Non-dangerous substance.

• UN number: Not applicable

<Japanese regulations>

Information on road transport regulation: No regulations.

Information on marine transport regulation: Non-dangerous substance.

Information on air transport regulation: Non-dangerous substance.

#### 15. Regulatory information

This product (copper and copper alloy) are solid metal products, and the obligation to submit MSDS documents according to the Pollutant Release and Transfer Register (PRTR) law and the Industrial Safety and Health Law (for chemical substances) does not apply.

The configuration element unit information is described below for reference.

15-1. Copper

Occupational Health and Safety Law (OHSL):

Materials to Be Notified

(Law Paragraph 57, and edict Paragraph 18.2 Table 9)

(Edict No. 379)

15-2. Tin

Occupational Health and Safety Law (OHSL):

Materials to Be Notified

(Law Paragraph 57, and edict Paragraph 18.2 Table 9)

SDS No.pb-e2020

24/28

Page

(Edict No. 322)

15-3. Lead

Occupational Health and Safety Law (OHSL):

Materials to Be Notified

(Law Paragraph 57, and edict Paragraph 18.2 Table 9)

(Edict No. 411)

Lead (Edict table No. 4 and lead poisoning prevention regulations paragraph

1.1)

Law Concerning Reporting, etc., of Releases to the Environment of Specific Chemical Substances and

Promoting Improvements in their Management:

Type 1 designated chemical substance

Pollutant Release and Transfer (PRTR) Law:

(Law Paragraph 2.2, edict paragraph 1, Appendix Table 1)

(Edict No. 304)

Labor standards Law: Toxic chemicals

(Law Paragraph 75.2, edict Paragraph 35 Table 1.2.4)

Air pollution control act: Harmful substance

(Edict paragraph 1)

Water pollution prevention act: Harmful substance

(Edict Paragraph 2, Ministerial Ordinance for Sewage Standards Paragraph 1)

Soil contamination countermeasures act:

Special harmful substance

(Law Paragraph 2.1, edict paragraph 1)

16. Other information

16-1. Copper

<References>

- 1) Ullmanns (E) (5th edition, 1995)
- 2) Contamination Dangers Handbook (2nd edition, 1997)
- 3) RTECS (2005)
- 4) ICSC (J) (1993)
- 5) Sax (8th edition, 1992)
- 6) Lange (14th edition 1992)

Safety Data Sheet (SD	S)
-----------------------	----

SDS No.pb-e2020 25/28 Page

- 7) Gangolli (1st edition 1993) vol. 2
- 8) Lide (85th edition, 2004-2005)
- 9) SRC (Access on Jul 2005)
- 10) PATTY (4th edition, 1994)
- 11) EHC200 (1998)
- 12) EPA (IRIS (Access on Jul 2005))
- 13) ACGIH (7th edition, 2001)
- 14) Handbook of Danger and Harmful Chemical Substances, Japan Industrial Safety and Health Association (1992)
- 15) Booklet of the Threshold Limit Values and Biological Exposure Indices, 6th edition; Japan Chemical Industry Ecology-Toxicology & Information Center (2004)
- 16) GHS Classification Results (Sumika Technical Information Service, Inc.)
- 17) Japan Chemical Industry Association, "Emergency Measures and Policies, Container Yellow Card (Labeling)"
- 18) Japan Chemical Industry Association, "Chemical Substances Control Law Regulations Search System" (CD-ROM) (2005)
- 19) Japan Chemical Database Ltd., "Comprehensive Chemicals Database" (2005)
- 20) Safety Database (revised and expanded supplementary edition, 1997)
- 21) JETOC, "Collection of Existing Chemical Substance Safety Inspection Data for the Chemical Substances Control Law"
- 22) Ministry of the Environment, "Chemical Substances Ecological Impact Tests"

16-2. tin

<References>

- 1) ICSC (2004)
- 2) Hommel (1991)
- 3) Weiss (2nd.1985)
- 4) HSDB (2003)
- 5) Dangerous Goods DB (2nd, 1993)
- 6) ESC SYRESS
- 7) ACGIG (2001)
- 8) DFGOT vol.6 (2004)
- 9) RTECS (2004)
- 10) ACGIH-TLV (2005)
- 11) NTP (11th, 2005)

Safety	<sup>,</sup> Data	Sheet	(SDS)	)
Caicty	Data	CHOOL	(CDC)	,

SDS No.pb-e2020 26/28 Page

- 12) Howard (1997)
- 13) UNRTDG (13th, 2004)
- 14) SIDS (2002)
- 15) ECETOC TR4 (1982)
- 16) SRC (2005)
- 17) GESTIS (2005)
- 18) PATTY (5th, 2001)
- 19) AQUIRE (2003)
- 20) Merck (13th, 2001)
- 21) CERI Hazard Data Collection (1998)
- 22) BUA68 (1991)
- 23) TOXCENTER (Access on Feb 2005)
- 24) Sax (11th,2004)
- 25) ECETOC TR48 (1998)
- 26) IUCLID (2000)
- 27) IARC Vol.71 (1999)
- 28) ACGIH (2003)
- 29) RTECS (VZ200000) HSDB Full record
- 30) Japan Society for Occupational Health recommendations (2005)
- 31) IARC39 (1986)
- 32) IRIS (1998)
- 33) EHC 15 (1980)
- 34) EHC (J) 134 (1997)
- 35) Renzo (3rd, 1986)
- 36) Solvent Pocket Book (1997)
- 37) Lange (16th,2005)
- 38) Chapman (2005)
- 39) Ministry of the Environment Risk Evaluations Vol. 3 (2002)
- 40)Incompatible Substances Handbook (2nd, 1997)
- 41) ATSDR (1997)
- 42) BSDB (2005)
- 43) CAMD (Access on May 2005)
- 44) J Occup Health 45:137-139 (2003)
- 45) Eur Resper J. 25(1):201-204 (2005)

Safety	/ Data	Sheet	(SDS)	١
Odicty	Data	Officet	(ODO)	,

SDS No.pb-e2020 27/28 Page

- 46) DFGOT Vol.12 (1999)
- 47) NICNAS (1999)
- 48) EU Annex (2005)
- 49) Lide (85th, 2004)
- 50) EU-RAR (2005)
- 51) HSDB (2005)
- 52) ICSC (1999)
- 53) Ministry of Health, Labour and Welfare report (2005)
- 54) ESIS Data Base (2005)
- 16-3. Lead
- <References>
- 1) ICSC (2002)
- 2) Merck (13th edition, 2001)
- 3) IMDG (2004)
- 4) Hommel (1991)
- 5) SRC (2005)
- 6) HSDB (2003)
- 7) Lange (16th edition, 2005)
- 8) Patty, 5th edition (2001)
- 9) IUCLID (2000)
- 10) ACGIH, 7th edition (2001)
- 11) RTECS (2005)
- 12) HSDB (2001)
- 13) SITTIG (47th edition, 2002)
- 14) ICSC (J) (1997)
- 15) Chapman (2005)
- 16) Lange (16th edition, 2005)
- 17) GESTICS (2005)
- 18) Howard (1997)
- 19) Weiss (2nd edition, 1985)
- 20) DFGOT, vol. 17 (2002)
- 21) Verschueren (4th edition, 2003)
- 22) CERI Hazard Data Collection (2002)

SDS No.pb-e2020 28/28

Page

- 23) IARC Monographs Supplement 7 (1987)
- 24) SIDS (1997)
- 25) ECETOCTR (1998)
- 26) ATSDR (1998)
- 27) CaPSAR (1999)
- 28) SIDS (1997)
- 29) Sax (11th edition, 2004)
- 30) Japan Society for Occupational Health recommendations (2004)
- 31) Dictionary of Organic Compounds
- 32) IRIS (2004)
- 33) Ministry of the Environment Risk Evaluations Vol. 3 (2004)
- 35) EHC174 (1995)
- 36) EU-Annex I
- 37) EHC3 (1977)

The Materials Safety Data Sheet is supplied to workers handling hazardous chemical products as reference information to assure safe handling. Make sure the workers engaged in handling understand the importance of suitable measures depending the on individual handling circumstances, etc., and that they are themselves responsible for referencing the MSDS before use. Consequently, this datasheet is not a guarantee of safety.

# Chemical composition table

Alloy No	Chemical composition (mass %)													
Alloy No.	Cu	Pb	Fe	Sn	Zn							Р		Other
C5102	-	-	_	4.5 to 5.5	_							0.03 to 0.35		Cu+Sn+P 99.5min
C5111	-	-	_	3.5 to 4.5	_							0.03 to 0.35		Cu+Sn+P 99.5min
C5191	-	_	_	5.5 to 7.0	_							0.03 to 0.35		Cu+Sn+P 99.5min
C5212	-	_	_	7.0 to 9.0	_							0.03 to 0.35		Cu+Sn+P 99.5min